




PCT/US2003/020268







Heart Rate

FIG. 4B


42 017	Ü						
TG. 27. COUSTA	int opera					Conto	Control Detection
		14/2 Care	Dower	Flow	_	SUCIOII	
	Speed	Speed IIIIIValariii			ľ	10.11	Doctored
5000			1.40.0	Min	Max	Detection	Schodesk
Oldono	Min	×e×	XBX	I	×514		
Variable		VPI A	I		State Land State of the second	Polyogic/Polyon	 Fnabled/Disabled
	7.51,	一一一	15W	enter min	D/a	enter min n/a Enabled/Disabled Enabled Enab	
	χ̈́O.	0					


TIG. 3D NOTHING LION	BOL 1			1		Continu	Suction Defection
		mit/olorm	Dower	Flow	≥	SUCIOII	
Contro			2000			10:40	Docuoso
				- Y	V0/V	Detection	2000000
112:11	Adio	Max	Max		May		
Variable		YELL			chambers and the court of the court		Poplar
			i	1 × 1 × 1 × 1 × 1	0	Luabled	
	٥	- 11 OK	C.L. WOIT+8	C . MOL	COLUMN CONTRACTOR		
l enter Flow	20.0	10:11					


4-11-0	Social State of the second						
FIG. 3C. Conste	CCUIIADA 1UD					0	Coltoste Detection
		- 14/-1- man	Dower	Flow	>	Suction	
Contro	Speed	ed Ilmivaiarm	LOWCI		ľ		Poenonse
				2	\0\V	Defection	Collodes
1/2	Nis.	Wax	×a×		VICE		
Aarlabie		\S			The second secon	7 1 1 1 1	שלפים
			1 T T T T	- uim vote	7	Fnabled	Classic
V - 000	α	11.0×	C.L. WOIT+8	eurei mui	weller of the best of the second		
t - 171	20.0						

3		eline	7014	Sapled		
Allow Flow		Below Baseline		Enabled/Disabled		
0.000	Suction	Detection/Response B	חפוסמוטווווו	Enabled/Fnabled	Cliable at the second	
	Flow	MON	INICIA	The state of the s	14. K. 17. 17. 17. 17. 17. 17. 17. 17. 17. 17	
					паропец	
	Power		Max		18	
mess (rzr)	ad limit/alarm	IIIValaiiii	Max		12.0k	
ze Flow - wav	6	naade	Min		90.6	
FIG. 5D Maximize		Control	1/0-:010	Variable	D2D = 2***	1 17 -

Allow Flow	1000	Rolow Raseline**		Enabled/Disabled		
	Suction	Rolow Raseline	Detection/Response	FOR POINT TO THE PROPERTY OF THE PERSON AND		
	Flow		Min	- multiplifte file falle entre entre	•	
returns)	Dower	1040	200	Max	•	0
- dQ/dN (diminishing retu	mistolosm	miyalarını		Max		1205
ze Flow - dQ/		Speed IIIII	Min			200
FIG SF Maximize Flow -		Control		Variable	2125115	147.07










FIG. 7




FIG. 8A

